

Start simple with MyPlate Plan

The benefits of healthy eating add up over time, bite by bite. Small changes matter. Start Simple with MyPlate.

Healthy eating is important at every stage of life. What a child eats and drinks today can impact a child's health now and in the future. Provide foods and beverages that are full of nutrients. Make every bite count.

Food Group Amounts for 900 Calories a Day for Ages 12 to 23 Months



1 cup

Focus on whole fruits

Focus on whole fruits that are fresh, frozen, pureed, or canned.



1 cup

Vary veggies

Choose a variety of colorful fresh, fermented*, frozen, dried, and canned vegetables—make sure to include dark green, red, and orange choices.



2½ ounces

Make most grains whole grains

Find whole-grain foods by reading the Nutrition Facts label and ingredients list.



2 ounces

Provide a variety of protein foods

Enjoy a range of protein foods including seafood; tofu and soy products; beans, peas, and lentils; lean meats and poultry; eggs; and nut and seed products.



2 cups

Offer your child fortified soy milk and yogurt at meals and snacks throughout the day

Try regular or lactose-free versions of full-fat cow's milk and reduced-fat yogurts. Avoid products with added sugars.



Avoid foods and beverages with added sugars and choose foods and beverages with less sodium.



Be sure to consider food safety when feeding young kids. For more information, visit: People at Risk: Children Under Five

For more information, visit: People at Risk: Children Under Fire (only available in English).

^{*} Fermented and pickled foods tend to be higher in sodium. Eating these foods should be considered in the context of daily sodium limits.

MyPlate Plan

Provide healthy foods from all of the food groups and look for signs of hunger and fullness. Prevent choking by avoiding small or tough pieces of food. Celebrate small wins, bite by bite.

In general, food group targets for a 900-calorie** pattern are:	Foods offered	A child may be hungry if he or she:
Fruits 1 cup ½ cup of fruits counts as • ½ cup fresh or cooked fruit; or • ¼ cup dried fruit; or • ½ cup 100% fruit juice.		 Reaches for or points to food. Opens his or her mouth when offered a spoon or food. Gets excited when he or she sees food. Uses hand motions or makes sounds to let you know he or she is still hungry. Expresses desire for specific food with words or sounds. Combines phrases with gestures such as "want that" and pointing. A child may be full if he or she: Pushes food away. Closes his or her mouth when food is offered. Turns his or her head away from food. Uses hand motions or makes sound to let you know he or she is full. Shakes head to say "no more." Uses words like "all done" or "get down."
Vegetables 1 cup 1/3 cup of vegetables counts as 1/3 cup raw or cooked vegetables; or 2/3 cup raw or 1/3 cup cooked leafy greens; or 1/3 cup dried vegetables; or 1/3 cup 100% vegetable juice.	or	
Crains 2 ½ ounce-equivalents 1 ounce of grains counts as • ½ cup cooked rice or noodles; or • 1 ounce tteok; or • 1 slice bread; or • 1 ounce ready-to-eat cereal.		
Protein 2 ounce-equivalents 1 ounce of protein foods counts as • 1 ounce seafood, lean meats, or poultry; or • ½ cup (about 2 ounces) tofu; or • ½ cup cooked beans, peas, or lentils; or • 1 egg; or • 1 Tbsp thinly spread peanut butter.		Choking Hazards Choking while eating. For more information, visit: Reducing the Risk of Choking in Young Children at Mealtimes (only available in English).
Dairy 2 cups 1 cup of dairy counts as • 1 cup fortified soy milk or yogurt; or • 1 cup cow's milk or yogurt; or • 1 cup lactose-free cow's milk or yogurt.		** For more examples of foods in the food groups, visit MyPlate.gov/food (only available in English).





MyPlate 계획으로 간단하게 시작하세요

건강한 식습관의 이점은 조금씩 조금씩 시간이 지나면서 쌓이게 됩니다. 작은 변화가 중요합니다. MyPlate로 간단하게 시작하세요.

건강한 식습관은 인생의 모든 단계에서 중요합니다. 오늘 아이가 먹고 마시는 음식이 현재와 미래의 건강에 영향을 미칠 수 있습니다. 영양소가 풍부한 음식과 음료를 제공하세요. 음식을 드실 때마다 잘 선택하세요.

생후 12~23개월 하루 900칼로리 식품군의 양



선택하세요.

^{*} 발효 및 절임 식품은 나트륨 함량이 높은 경향이 있습니다. 이러한 식품을 섭취할 때는 일일 나트륨 섭취 한도를 고려해야 합니다.

MyPlate 계획

모든 식품군에서 건강한 음식을 제공하고 배고픔과 포만감의 징후가 있는지 살펴봅니다. 작거나 단단한 음식 조각을 피하여 질식을 예방합니다. 먹을 때마다 작은 승리를 축하하세요.

이번점으로 2027년 기 교육이 사포를 모표했는 다음과 가스니다	TI 7 O AI	
일반적으로 900칼로리 패턴의 식품군 목표**는 다음과 같습니다: 1컵 과일 ½컵은 다음에 해당합니다 • 생과일 또는 익힌 과일 ½컵, 또는 • 말린 과일 ¼컵, 또는 • 100% 과일 주스 ½컵.	제공 음식 	아이가 배고플 때 할 수 있는 행동: • 음식에 손을 뻗거나 가리킵니다. • 숟가락이나 음식을 주면 입을 벌립니다. • 음식을 보면 흥분합니다. • 아직 배가 고프다는 것을 알리기 위해 손동작을 하거나 소리를 냅니다.
## ## ## ## ## ## ## ## ## ## ## ## ##		 말이나 소리로 특정 음식에 대한 욕구를 표현합니다. "원한다"는 제스처와 가리키는 동작을 문구와 함께 사용합니다. 아이가 배부를 때 할 수 있는 행동: 음식을 밀어냅니다. 음식이 제공될 때 입을 다뭅니다. 음식에서 고개를 돌립니다. 배가 부르다는 것을 알리기 위해 손동작을 하거나 소리를 냅니다. "더 이상 안 먹는다"는 의미로 고개를 흔듭니다. "다 먹었어" 또는 '그만 먹을래'와 같은 단어를 사용합니다.
2 ½ 온스 상당량 곡물 1온스는 다음에 해당합니다 • 익힌 쌀 또는 면 ½컵, 또는 • 떡 1온스, 또는 • 빵 1조각, 또는 • 즉석 시리얼 1온스.		
2온스 상당량 단백질 식품 1온스는 다음에 해당합니다 ● 해산물, 살코기 또는 가금류 1온스, 또는 ● 두부 ¼컵(약 2온스), 또는 ● 익힌 콩, 완두콩 또는 렌틸콩 ¼컵, 또는 ● 달걀 1개, 또는 ● 얇게 펴 바른 땅콩버터 1큰술.		4세 미만의 어린이는 식사 중 질식할 위험이 있습니다. 자세한 정보: Reducing the Risk of Choking in Young Children at Mealtimes (영어로만 제공).
2컵 유제품 1컵은 다음에 해당합니다 ● 강화 두유 또는 요거트 1컵, 또는 ● 우유 또는 요거트 1컵, 또는 ● 무유당 우유 또는 요거트 1컵.		** 식품군에 속하는 더 많은 음식의 예를 보려면 MyPlate.gov/food (영어로만 제공).

